AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Arbuckie,	Ernest L. Fa	amily (Operator Well N	lo.:_#16005	1 (Steinbeck	Heirs #4)
LOCATION:	Elevation:1	157'		Quadrangle: _	Glenvil	le	
	District:T	roy		County:	Gilmer		
	Latitude:	Feet S	South of _	Deg	Min.	Sec.	•
		Feet					
Well Type: 0	OIL GA	S_X_					
Company	Fouitable	Produciton	Coal One	erator Unkn	Ot-m	REC	EIVED
company		sional Place		-	OWII	Office of	Oil and Gas
	The second of th	, WV 26330	or Owner			ADDITION OF THE	
	DITIOGEPOTE	WV 20330	Coal On	erator			2. 5 2014
Agent	John Dama	to	or Owner			, , , , ,	
Permit Issu	(40 mm 2 10)	05/20/2014				WV De	partment of
	.=	03/20/2014		(======		Environme	ental Protection
Plantage at the control of the control of the			AF	FIDAVIT		Filtra	
	EST VIRGINIA,						
County ofU	pshur s	5.					
Kevin	Metz	and Ro	dney Sn	nith	being first du	ly sworn according	to law denoce
and say that th	ney are experience	ed in the work of	olugging ar	nd filling oil and g	as wells and w	ere employed by the	e above named
well operator,	and participated	in the work of plu	igging and	filling the above	e well say tha	at said work was o	commenced on
the 6th	day of Ju	ne, 20 <u>14,</u>	and the w	ell was plugged	and filled in	the following manne	er:
TYPE	EBON	T.		DIDE DEM	0) (5)		
Cement	FROM 1948'			5 1/2"		LEFT 555'	
Cement				6 5/8"	0'	1670'	
Cement				8 1/4"		512'	
Cement	10-57-07-07-0			10"	0'	20'	
Cement	The state of the s			Perforated	5 1/2" a	1412' to 1416	5 perfs
CSemen			' 5	5 1/2" cut	a 1140' a	nd 978'	J Perro
				5/8" cut			
	e v m				e allegyw		
Description	of monument: /	20th day of	ove gro	ound with A	PI# and t	hat the work of plu	gging and fitting
said well was i	completed on the	ZULITURY OF	oure _	. 20 14	T		OFFICIAL SEAL
And further	deponents saith	not Kady	11 S	mith	~ 3		NOTARY PUBLIC
		. 1,	10	de ·	(1 - 1 # 547 1 mm xil	TATE OF WEST VIHGINIA
		Will	- Ad	there		The same	49 W. LINCOLN ST.
		nord	1	D.	}		JCKHANNON, WV 26201 mission expires June 12, 2016
Sworn and	subscribe before	me this 💋 🔠 da	y of	ure .2	0/4	~~~~	~~~~
My commission	n expires: <u>06/1 ລ</u>	12016	9	Deris	_H.Pul	lian	
			1	Not	ary Public		31
Affidavit review	ved by the Office	of Oil and Gas:	Dea	O Fam		Title: 7-/-/	18
	74	and the second control of the second control		<u></u>		Transaction of the second	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	WV Publ	ic Land Co	orp	Operator Well	No.: J.D. Smith 6	6119 (159791)	
LOCATION:	Elevation:	1027		Quadrangle:	Tanner		
LOCATION.				County:	Gilmer	*	
					Min	Sec.	
					Min		
Agent Permit Issue STATE OF W County of Roar Tim Simmons and say that the	EQT Pro 120 Profess Bridgeport, John Date ed Date EST VIRGII	mato NIA, ss: and erienced in the	mpany Coal or Ov Coal or Ov Scott Bailey	Operator Wher AFFIDAVIT	Office W\ Enviro	RECEIVED of Oil and Gas AUG 1 3 2014 / Department of commental Protection sworn according to law department of the employed by the above nare	med
						said work was commenced e following manner:	on
TYPE	F	ROM	то	PIPE RE	MOVED	LEFT	7
cement		1987'	1390'		1/2* casing	766' - 3 1/2" casing	_
cement		1271'	8501			1025' - 6 5/8" casing	
cemen		530"	430'			178' - 8 1/4" casing	
cement		306'	surface				
6% gel between each	plug						\exists
said well was o	deponents subscribe b	saith not.	Down Sunday of	Buly July Havie	and the	or the work of plugging and file state of we not any David N. Or 100 Chice. W	SEAL ST VARGINIA PUBLIC BRADDO

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	WV Pub	lic Land C	orp		Operator We	l No.: J.D. Smith	11645 (159821)	
LOCATION:	Flevation	. 1003			Quadrangle	Tanner		
LOOM TON		DeKalb			County:	Gilmer		
						Min	Sec.	
							Sec.	
Well Type: 0	OIL	_GAS_X	_					
Company	EQT Pr	oduction C	ompany	Coal Or	erator See	ttached		
22002002		sional Place		or Own			DECEMEN	
	Bridgeport	, WV 26330				041-	RECEIVED	
					perator	Ome	e of Oil and Gas	
Agent	John Da			or Owne	er		AUG 1 3 2014	
Permit Issu	ed Date	12/11/201	3				AUU 1 0 ZU14	
				А	FFIDAVIT	WV	Department of	
STATE OF W							nmental Protection	ı`
County of Roa	ne	_ SS:					·····oritai i rotootioi	
Tim Simmons	5	and	Adam Dau	igherty		beina first du	uly sworn according to la	w depose
well operator	, and partic	ipated in the	work of pla	ugging ar	nd filling the at	ove well say th	vere employed by the above at said work was comme the following manner:	
TYPE	F	ROM	TC)	PIPE RI	EMOVED	LEFT	
cement		1978'	1778	3'	1185' - 4	1/2" casing	803" - 4 1/2" casing	
cement		1235'	1135				415' - 8 1/4" casing	
cement		462° 204°	362 surfa					
comon		201	30110	- W.				
6% gel between each	plug			1				
Description said well was		ent: 6 5/8" cas on the 13 th	ing with nur day of _Jui		ed on it , 20 <u>_14</u>	and	that the work of plugging a	and filling
And further	deponents	saith not.	alle) 	hus	 -		CEPTOTAL SEAL BTATE OF WEST VIRGINIA NOTARY PUBLIC David N. Brannon
Sworn and	subscribe l	before me this	3 d	ay of	July	. 20 14	My Co	HC 75 Box 410 Chloe, WV 25235 Immission Expires December 10, 201
My commission	on expires:_	Alcent	14 10, 20	017	Lan	Notary Public	leannen	
Affidavit revie	wed by the	Office of Oil a	and Gas: _	Buja	~ O'Herr	7-3-14	Title: Inspector	

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:_	Cain, Peggy Ar	n	Operator Well	No.: Cain 987	(653456)	
LOCATION:	Elevation: 1024		Quadrangle:	Tanner		
			County:	Gilmer		
		397 Feet South of		Min	Sec.	
	Longitude:80.8	84044 Feet West of	Deg.	Min	Sec.	ņ.
Well Type: C	DIL GAS 2	<u> </u>				
Company	EQT Production	Company Coal Op	erator		RECEI	VED
	120 Professional Pla				Office of Oil	
	Bridgeport, WV 263	30				
		Coal O	perator		JUL 2 5	2014 .
Agent	John Damato	or Owne	er			
Permit Issue	ed Date 12/5/	2013			WV Depai	tment of
			FFIDAVIT		Environmenta	al Protection
County of Roar	EST VIRGINIA,					
Tim Simmons		and John Nichols		being first duly	sworn according to	law depose
		, 20 <u>14</u> , and the	well was plugge		ne following manner:	1
TYPE	FROM 1530'	TO 1210'	1530' - 2 3/8" tut		929' 6 5/8* casing	,
cement	1020	620'	44' - 6 5/8		731' - 8 1/2" casin	
cement	200	surface				
6% gel between pli	ngs					
said well was	of monument: 6 5/8" completed on the 1 s deponents saith not	7.0	d on plate, 20_14.	and th		ng and filling
	subscribe before me	this 8 day of I	une Marid	20 <u>14</u> 1810		OTARY PUBLIC Javid N. Brannon HC 75 Box 410 hibe, WV 25235 son Express December 10, 2017
My commissio	n expires:	1001 1930.1	, N	Notary Public	10	
Affidavit reviev	ved by the Office of	Oil and Gas:	O'lken	6-8	Inspector	

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	State of West Virgini	а (Operator Well	No.: Cain 1063	(654101)	
LOCATION	Elevation: 1198		Quadrangle:	Tanner		
LOOMHON.	District: Center		County:	Gilmer		
	Latitude: 38.881315			Min.	Sec.	
	Longitude: -80.881413					
	Longitudo.	_1 cct west or _				
Well Type: 0	OIL GAS X					
C	EOT Production Com	nany a la			RECEIVED	
Company	EQT Production Com	or Owne		Office	of Oil and Gas	
	Bridgeport, WV 26330	or Owne			——————————————————————————————————————	
	Bridgeport, TTV 20000	Coal Op	erator ——		JUL 2 5 2014	
Agent	John Damato	or Owne		IMAX	D	
Permit Issu	ed Date 12/11/2013	- San		Environ	Department of	
			-	Environ	mental Protection	
		AF	FIDAVIT			
	/EST VIRGINIA,					
County or	ne SS:					
Tim Simmons	and Joh	n Nichols		being first duly	sworn according to law depose	6
	and participated in the wor day of <u>May</u>				said work was commenced on following manner:	
TYPE	FROM	TO	PIPE RE	MOVED	LEFT	
cement	2052'	1800*	1644' - 3 1	2º tubina	1 20 Co. 1 20 Table 0 Co.	
cement	1800			z tubing	423' - 3 1/2" tubing	
cement		1680'		2 tubing	423' - 3 1/2" tubing 710' - 8 1/2" casing	
Charles and C	1680'	1356'		2 tubing	30 X 1 X 1 X 1 X 1 X 1	
cement	937'	1356' 837'		2 tubing	30 X 1 X 1 X 1 X 1 X 1	
cement	937'	1356' 837' 620'		2 tubing	30 X 1 X 1 X 1 X 1 X 1	
cement	937' 720' 200'	1356' 837'		2 tubing	30 X 1 X 1 X 1 X 1 X 1	
cement cement cement 6% gel between p Description said well was And further Sworn and	937' 720' 200' lugs of monument: 6 5/8" casing vicempleted on the 1 day day deponents saith not.	1356' 837' 620' surface with numbers welder ay of June John June John June John June John June John June John June	Jicho ine Havrá		30 X 1 X 1 X 1 X 1 X 1	ARGINIA LIC non 10 235

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Miller, R	lichard E.		Operator Well	No.: G. W. Mil	ler 1382 (655861)	
LOCATION:	Elevation	1160		Quadrangle:	Tanner		
				County:	Gilmer		
			Feet South of		Min.	Sec.	
	Longitud	e:80.89660	Feet West of	Deg.	Min.	Sec.	
		54%					
Well Type: C	OIL	_GAS X	5			9	
Company	EQT Pr	oduction Con	npany Coal Or	erator		RECEIVE	D
	120 Profes	ssional Place	or Own	er		Office of Oil ar	nd Gas
	Bridgeport	, WV 26330					
Ger	John De			perator		AUG 1 3 20	114
Agent Permit Issue	John Da	12/6/2013	or Own	er			
STATE OF W	EST VIRG	INIA,	A	FFIDAVIT		WV Departm Environmental I	rent of Protection
Tim Simmons			am Daugherty		, areas access connection of a	uly sworn according to	DINESS INCOMENS
well operator,	and partic	ipated in the wo	rk of plugging ar	nd filling the abo	ove well say th	were employed by the a lat said work was con the following manner:	
TYPE	F	FROM	TO	PIPE RE	MOVED	LEFT	
cement		1496'	1296'	1497 - 2 3	/8" tubing	39' and packer - 2 3/8'	
cement	_	1054'	715'			1536' - 6 5/8" cas	
cement	_	200'	surface			793' - 8 1/4" casing	
						143 - 10 casin	,
6% gel between pl	uas						
And further Sworn and	deponents subscribe	on the 10 th d	ay of June June	July Llavid	, 20_14	that the work of pluggi	OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC David N. Brannon HC 75 Box 410 Chloe, WV 25235 by Commission Explies December 10, 2017
		Office of Oil and	0	O Cherry	lotary Public	Title: Inspector	H1

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	White, Evelyn V	N	Operator Well	No.: 607256	(7256 Messen	ger)
LOCATION:	Elevation: 1182		Quadrangle:	Glenville		
	District: Glenv	ille	County:	Gilmer		
	Latitude:					
	Longitude:					
Well Type: (DIL GAS X					
			9	er en groven sen	- 72W	
Company	EQT Production			lyn Smith (I	Deceased)	
	120 Professiona		er			
	Bridgeport, WV	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			RECE	
20		Coal O			Office of O	il and Gas
	John Damato		er			
Permit Issue	ed Date 04/22	2/2014	-		JUL 2	5 2014
			FFIDANIT			
STATE OF W	EST VIRGINIA,	А	FFIDAVIT		WV Depa	rtment of
	pshur ss:			1	Environment	al Protection
Willia	m Adkins and	Rodney Smi	th	n se ar word		
and say that th	ney are experienced in the	nocarcy bala	ad filling all and	_being first duly	sworn according	to law depose
well operator	and participated in the	work of plugging a	ind filling the above	gas wells and well re well, say, that	re employed by the	above named
the 20th	day ofMay	2014 and the	well was plugge	d and filled in the	salu work was c e following manne	ommencea on
				a dina mila mila	c renowing manne	N.E.S.
TYPE	FROM	TO	PIPE REN	MOVED	LEFT	
Cement	1538	1233'	3" 142	25'	502'	
Cement	1233'	1120'				
Gel	310'	200'				
Cement	200'	0'				
			.2			
Description	of monument: 7" pip	e 4' above gr	ound with A	PT # and the	at the work of pluc	uning and filling
said well was o	completed on the 9th	day of June	, 20 14.		at the work of play	iging and minig
	Ĭ.		C -		The state of the s	OFFICIAL SEAL
And further	deponents saith not.	Kamen	Smuth		1	NOTARY PUBLIC
		1/11. 900	1/		自己的全部分别	STATE OF WEST VINGINIA DENISE H. PULLIAM
		will an He	tus		[大河流流]	49 W. LINCOLN ST.
Sworn and	subscribe before me this	With day of	lune.	20/4	My	BUCKHANNON, WV 26201 contribusion expires June 12, 2018
Circin and .	duscribe before the this	0 10 day 01	Turic .	2017	~~~	~~~~~
My commission	expires: 06/12/2	1016	Derus	e H. Tull	can	7. T 92.9 ± 8000H
	- section in the second of the second	A	, No	tary Public		
Value and realized the anti-control of the control	TO STATE OF THE ST	, R	21/		/ /	21
Affidavit review	ed by the Office of Oil a	nd Gas: _ Pug	en l'Acce	T	tle: /-/-/	7
		1				4

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Kellar, A Hei	rs	Operator Well I	No.: <u>WV 15717</u>	1 (Keller Well #WV362R))
LOCATION:	Elevation: 1057	10	Quadrangle:	Auburn		
	District: Troy					
	Latitude:	_ Feet South of _	Deg	Min.	Sec.	
	Longitude:					
Well Type: (DIL GAS X					
	EQT Production C		erator Dian	e James	RECEIVED	
===	120 Professional			Balch St. A	ot 2 Office of Oil and	Gas
	Bridgeport, WV 2		-	n, OH 4430	2	
	.51	Coal O _I		or A. Kelle		
Agent	_ John Damato	or Owne	er 621	Madison Ave	· JAMA Damanton	
Permit Issue	ed Date 04/22/	2014	_Barb	arton, OH	44203 WV Departmen	t of
		A1	FFIDAVIT		(see attached) 10	tection
STATE OF W	EST VIRGINIA,	A	FIDAVII			
County of Ur	oshur ss:					
Willia	am Adkins and	Rodney Sm	i+b	below from the	sworn according to law depose	
and say that th	ney are experienced in the	work of plugging a	nd filling oil and	_being first duly das wells and wer	e employed by the above named	
well operator,	and participated in the wo	ork of plugging an	d filling the abov	e well say that	said work was commenced on	
the 10th	day of <u>June</u>	_, 20 <u>14</u> and the v	vell was plugged	d and filled in the	following manner:	
TYPE	FROM	то	PIPE REN	10\/ED	LEET	
Cement	920'	715'	4 1/2"		1747'	
Cement	600'	375'	8 5/8"	0'	829'	
Cement	215'	0'	***************************************			
Description	of monument: 7" pipe	4' above gro	ound with A	PI # and tha	the work of plugging and filling	
said well was o	completed on the 20th	ay of June	, 2014	\$	OFFICIAL SEAL	\sim
And further	deponents saith not.	Kotu, S	mit-	2/	NOTARY PUBLIC STATE OF WEST VIHGINIA	. ?
And fulfile	deponents saith not.	1 acrus 0	7.00	} (E(BUILDING DENISE H. PULLIAM	` (
	=	Keven Yn	tw		BUCKHANNON WAY 2000	. (
		12 Rd	j'	1.1.	My commission expires June 12,	2016
Sworn and	subscribe before me this 6	day of	juse.	20.14	M S	
My commission	n expires: 06/12/2014	ł .	Dean	. A. Pul	lian	
	10 1700 (***********************************		No	tary Public		
A45			0111		7111	
ATTICAVIT FEVIEW	ved by the Office of Oil and	Gas: Your	- O Here	Ti	le: _/-/X	

WR-38 Rev (5-08) Page 1

My commission expires:

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

DATE: August 1st, 2014 API#: 47-041-00955P

Rev. (7/22/2014)

Lease No:

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

LOCATION: Elevation:	1252.56'		Quadrangle: Weston 7.	.5'	
District:	Hackers Cre	ek	County: Lewis	76.2	
Latitude	:	Feet South of:	39 Deg. 02 Min. 48	Sec.	
Longituo	le:	Feet West of:	80 Deg. 27 Min. 05	Sec.	
Well Type: OIL	GAS	X			
Company: CNX Gas C	Company LLC		Coal Operator		
P.O. Box 1	248		or Owner See Lis	st on Page 2	
Jane Lew,	WV 26378				
Agent: Ma	att Imrich				
Permit Issued Date: 8/2	7/2013				
		AFF	IDAVIT		
STATE OF WEST VIRO	INIA,				
County of Lewis		55:			
Richard C. Jones	and	Mike Frederick	being first duly sworn	according to law depose	
and say that they are exper	ienced in the work	of plugging and	filling oil and gas wells and were	AND COLUMN STREET SCHOOL STREET	
					milled
					lanted
well operator, and particip	ated in the work o	f plugging and fill	ling the above well say that said v	work was commenced on	ianicu
well operator, and participathe 10th day of Octobe	ated in the work o	f plugging and fill d the well was plu	ling the above well say that said v gged and filled in the following n	work was commenced on manner:	ranicu
well operator, and participathe 10th day of Octobe	r , 2013 , and	f plugging and fill d the well was plu TO	ling the above well say that said v	work was commenced on	ianica
well operator, and participathe 10th day of Octobe TYPE Cement Plug	r , 2013 , and FROM 1852'	f plugging and fill d the well was plu TO 1450'	ling the above well say that said v gged and filled in the following n	work was commenced on manner:	ianica
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel	r , 2013 , and FROM 1852' 1450'	f plugging and fill d the well was plu TO 1450' 1339'	ling the above well say that said vigged and filled in the following n	vork was commenced on nanner: LEFT	ianica
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339'	FROM 1852' 1450' 1339'	f plugging and fill d the well was plu TO 1450' 1339' Surface	ling the above well say that said v gged and filled in the following n	work was commenced on manner:	ianica
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug	FROM 1852' 1450' 1339' 1339'	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220'	ling the above well say that said vigged and filled in the following n	vork was commenced on nanner: LEFT	ianicu
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel	FROM 1852' 1450' 1339' 1339' 1220'	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944'	ling the above well say that said v gged and filled in the following n PIPE REMOVED 1339'	vork was commenced on nanner: LEFT 513'	ianicu
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing	FROM 1852' 1450' 1339' 1220' 944'	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944' Surface	ling the above well say that said vigged and filled in the following n	vork was commenced on manner: LEFT 513'	
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing Cement Plug	FROM 1852' 1450' 1339' 1220' 944' 944'	TO 1450' 1339' Surface 1220' 944' Surface 720'	ling the above well say that said v gged and filled in the following n PIPE REMOVED 1339'	vork was commenced on manner: LEFT 513'	·Ce
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing Cement Plug 6% Gel	FROM 1852' 1450' 1339' 1220' 944' 944' 720'	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944' Surface 720' 527'	ling the above well say that said v gged and filled in the following n PIPE REMOVED 1339'	vork was commenced on manner: LEFT 513'	
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug	FROM 1852' 1450' 1339' 1220' 944' 944' 720' 527'	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944' Surface 720' 527' 400'	ling the above well say that said v gged and filled in the following n PIPE REMOVED 1339'	vork was commenced on manner: LEFT 513' 944' R6	CE
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug	FROM 1852' 1450' 1339' 1220' 944' 944' 720' 527' 400'	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944' Surface 720' 527' 400' 310'	ling the above well say that said v gged and filled in the following n PIPE REMOVED 1339'	vork was commenced on manner: LEFT 513'	CE
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug	FROM 1852' 1450' 1339' 1220' 944' 944' 720' 527'	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944' Surface 720' 527' 400'	ling the above well say that said v gged and filled in the following n PIPE REMOVED 1339'	vork was commenced on manner: LEFT 513' 944' R6	ce
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug	FROM 1852' 1450' 1339' 1220' 944' 944' 720' 527' 400'	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944' Surface 720' 527' 400' 310'	ling the above well say that said v gged and filled in the following n PIPE REMOVED 1339'	sork was commenced on manner: LEFT 513' 944' AU	CC G
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug	FROM 1852' 1450' 1339' 1220' 944' 944' 720' 527' 400'	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944' Surface 720' 527' 400' 310'	ling the above well say that said v gged and filled in the following n PIPE REMOVED 1339'	sork was commenced on manner: LEFT 513' 944' Re	CC G
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug	r , 2013 , and FROM 1852' 1450' 1339' 1220' 944' 720' 527' 400' 310'	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944' Surface 720' 527' 400' 310' Surface	PIPE REMOVED 1339' None: Perfed @ 870',500',300'	sork was commenced on manner: LEFT 513' 944' AU	CC G
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug	FROM 1852' 1450' 1339' 1220' 944' 944' 720' 527' 400' 310' Donument: Installed	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944' Surface 720' 527' 400' 310' Surface	PIPE REMOVED 1339' None: Perfed @ 870',500',300' ent with API # 47-041-00955.	Solver was commenced on manner: LEFT 513' 944' AU Office WV Dept. of	CC G
well operator, and participathe 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug	FROM 1852' 1450' 1339' 1220' 944' 944' 720' 527' 400' 310' Donument: Installed	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944' Surface 720' 527' 400' 310' Surface	PIPE REMOVED 1339' None: Perfed @ 870',500',300'	Solver was commenced on manner: LEFT 513' 944' AU Office WV Dept. of	CC G
well operator, and participa the 10th day of Octobe TYPE Cement Plug 6% Gel Cut 4 1/2" Casing @ 1339' Cement Plug 6% Gel Perfed 8 5/8" Casing Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug 6% Gel Cement Plug	FROM 1852' 1450' 1339' 1220' 944' 944' 720' 527' 400' 310' Donument: Installed	f plugging and fill d the well was plu TO 1450' 1339' Surface 1220' 944' Surface 720' 527' 400' 310' Surface	PIPE REMOVED 1339' None: Perfed @ 870',500',300' ent with API # 47-041-00955.	Solver was commenced on manner: LEFT 513' 944' AU Office WV Dept. of	CC G

Affidavit reviewed by the Office of Oil and Gas Bauy Shl

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name: Le	wis County Board	of Education	Opera	tor Well No.	Duvall #3 47-041-01368-p
Di: La	strict:court h titude: 38.9	ouse 19707 Feet South 55 Feet West of	Deg	Lewis Min Min	Sec. UTME 542057.6 Sec.UTMN 4307978.3
Well Type: OIL	GAS _X				
PO	roleum Resources BOX 1066 ston WV 26452		or Owner		
Agent: Stanley I	N. Masoner				
Permit Issued D	oate:10/16/20	12	S 		
_Randy Dustin_depose and say by the above is said work was	that they are exp	ss: Daniel Duckwork erienced in the valor, and participathe14th	vork of plugging an ated in the work of	d filling oil ar plugging an	t duly sworn according to law and gas wells and were employed and filling the above well, sat that 2014_, and that the well was
TYPE	FROM	то	PIPE REMO	OVED	LEFT
Cement	2617'	2400'	770 ft 4 1/2		1847ft 4 1/2
Cement	1875'	1700'			ADS. IN PROPERTY OF THE PROPER
Cement	900'	720'			
Cement	100'	surface			RECEIVED Gas
					Office of Oil and
Well T.D 2617'	6%Gel Between cement plugs				AUG 1 1 2014 WV Department of Environmental Protection
Erect a	Monument	With the	API attached		Environmenta
And further of Sworn and s My commiss	f monument:_7	ot. Body the this 30 da Notary Public		, 19 <u></u>	OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC Lisa W. Turner Route 9. Box 218 Buckhannon, WV 26201 My Commission Expires April 3, 2017

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name: Lev	wis County Board	of Education	Opera	itor Well No.: Du	vall #2 47-041-01406-p	
LOCATION: FI	evation: 1276		Quadrangle:p	eterson 75		
Dis	strict: court h	ouse	County:	Lewis		
La	titude: 38.9	23768 Feet South	n of Deg.	Min.	Sec. UTME 542425.2	
Lo	ngitude:80510	58 Feet West of	Deg	Min.	Sec.UTMN 4308430.	9
Well Type: OIL	GAS>	<u></u>				
Company: Peti	roleum Resource	s	Coal Operator	N/A		
	BOX 1066	¥.	or Owner			
Wes	ton WV 26452					
			Coal Operator			
Agent: Stanley N	N. Masoner		or Owner			
Permit Issued D	ate:10/16/20	12	(0)			
			AFFIDAVIT			
STATE OF V	VEST VIRGINIA.		ALLIDAVII			
	Lewis					
		_				
Randy Dustin	and	_Daniel Duckwor	th	being first du	ly sworn according to la as wells and were employe	aw
depose and say	that they are exp	erienced in the v	work of plugging an	d filling oil and g	as wells and were employe	ed
					illing the above well, sat th	
			day of _June_	, 20	014_, and that the well wa	as
plugged and fil	led in the following	ng manner:				
TYPE	FROM	ТО	PIPE REMO	OVED	LEFT	T)
Cement	2000'	1726'	738 ft 4 1/2	JVLD	1262ft 4 1/2	1
Cement	1400'	1300'	70011 112		1202117 112	1
Cement	1000'	695'				
Cement	102'	surface				
	11.5.00	122-200-30-30	Was no 8 5/8 ca	sing		
			Found in well			1
						1
Well T.D 2000'	6%Gel					1
E.	Between	}			DECEIVED	
	cement plugs				RECEIVED	
44.5	10	1373 201 - 1315 21			Office of Oil and	Gas
Erect a	Monument	With the	API attached]
D		4 II M A-DI			AUG 1 1 2014	
	monument:_/ mpleted on the 1			and that the wo	rk of plugging and filling	
Salu Well Was Co	impleted on the 1	oui day or July	y, 2014		WV Departmen	it of
	eponents saith no	500		<i>Das</i>	atenvironmental Pro	tection
Sworn and si	ubscribe before n	ne this 30 th	y of July	76 AC	OFFI	CIAL SEAL
My commissi	ion expires:	13,36(8)	Not 4		STATE OF NOTA	WEST VIRGINIA
	1	, Oh	be Mr Jun		直回的正式 Lisa	W. Turner
		Notary Public	0,00		Route Buckhan	CIAL SEAL WEST VIRGINIA RY PUBLIC W. Turner 19, Box 218 non, WV 26201
Oi	l and Gas Inspec	tor: Bany	Date Date	7-29-	My Commission	Expires April 3, 2017
		U				111111111111111111111111111111111111111

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:Bla	ke, Thomas E. M	largar	Operator V	Vell No.:Radford	# 1, 47-041-02178-p	
LOCATION: EI	evation: 1052	,	Oundennalor	nto 75		
Dis	strict court h	OUSE	Quadrangle:po	Lenson 75		
La	titude: 38.9	31492 Feet Sou	th of Dea	Min	Sec. UTME 539	107
Lo	ngitude:80548	811 Feet West	ofDeg	Min.	Sec.UTMN 430	09271
						A2-7 ().E.
Well Type: OIL	GAS	<u> </u>				
Company: Pet	roleum Resource	s	Coal Operator	N/A		
	BOX 1066		or Owner			
Wes	ton WV 26452					
2 0 × 0 1	V 44		Coal Operator _			
Agent: Stanley I	N. Masoner		or Owner			
Permit Issued D	ate:10/3/201	2	_			
			AFFIDAVIT			
STATE OF V	WEST VIRGINIA,					
County of	_Lewis	ss:				
Bondy Dustin		David David	ane and		· v	1
Randy_Dustin_	that they are ever	_Daniei Duckwo	rtn	being first d	uly sworn according gas wells and were en	to law
by the above r	named well oper	ator, and particin	ated in the work of	nlugging and	filling the above well,	iployed
said work was o	commenced on	the 9nd	day of June	plugging and 2	014_, and that the we	all was
plugged and fil	led in the following	ng manner:			original and the we	211 WG5
TVDE	FROM					
TYPE	FROM	TO	PIPE REM	OVED	LEFT	
Cement	2310'	2100'	1183 ft 4 1/2		1127ft 4 1/2	
Cement Cement	1673' 1233'	1473' 993'				
Cement	300'	189'				
Cement	102"	surface				
Ocincia	102	Surface				
					RECEI	VED
Well T.D 2310'	6%Gel				Office of Oil	and Gas
*	Between				Office of Oil	allo -
	cement plugs				AUG 1 1	2014
	100100				AUG 1	
Erect a	Monument	With the	API attached		MA Deba	remont of
Description	fmanumant 7	ta mall mater A.C.	William Tourism of Architecture	OCCUPATION CONTRACTOR OF THE PROPERTY OF THE P	MA Deba	Protection
said well was co	mpleted on the 1	o well withe AP 9th day of Ju	I number attached ne , 2014 .	and that the wo	ork of blift differ such that	ing Protocia
July Well Was 60	impleted on the 1	onuay or su	2014	0		
	leponents saith n	- 77	f Clast	<u></u>	nich Nucleworth	_
Sworn and s	ubscribe before n	ne this 36° de	ay of Jun		DET THE THE PERSON NAMED IN COLUMN THE PERSON NA	OFFICIAL SEAL
My commiss	ion expires: Apr	113,3017	N Land	, 13_ 🔾	STA	ATE OF WEST VIRGINIA
Ž.	×	\sim	in My che		目的婚金計劃	NOTARY PUBLIC
e-can		Notary Public	Onno	aran recent		Route 9, Box 218 auckhannon, WV 26201
Oi	il and Gas Inspec	tor: Bany	Date Date	7-29-	My Co	OFFICIAL SEAL ATE OF WEST VIRGINIA NOTARY PUBLIC Lisa W. Turner Route 9, Box 218 uuckhannon, WV 26201 mmission Expires April 3, 2017

WR-38 Rev. 5/08

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Thornsb	ury, Tom Jr	& Amy	Operator Wel	No.: WV508825 (I	Rogers 21)	
					Bradshaw		
LOCATION:	District	Sandy River		County:	McDowell		_
	District:	99,197	Feet South of		Min	Sec.	=
	Lautude.		Feet West of	Deg.	Min	Sec.	
	Longituo	e	_1 eet **est or _				
Well Type: (OIL	_ GAS X					RECEIVED
					Joldings L1 C	Offic	e of Oil and Gas
Company			npany Coal Op	77.750 AV. 1	Box 22427		UU 0 5 3014
		nsylvania Avenue	or Own		gton, Ky 40522-2427		JUL 2 5 2014
	Charlesto	n, WV 25302	Coal O	925-5-7-015	7 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	14.6	I D standard of
	Inha D	omata	Coal O				/ Department of
Agent	John Da		or Own			Enviro	nmental P rotection
Permit Issu	ied Date	5-20-2014		-			
It	they are ex	cinated in the WO	work of plugging	and filling oil ar	being first duly nd gas wells and we bove well say that ged and filled in th	re employed by said work wa	the above named as commenced on
the _	day o	3000	_, 20, and the				
TYPE		FROM	то	U U U U U U U U U U U U U U U U U U U	EMOVED	70' of 1	CO. NAMED IN CO.
Class A Ceme	ent	1074'	Surface	1074	of 1 1/2"	1530' o	CDORVINE.
				<u> </u>			of 4 1/2"
							f 1 1/2"
						CHROST	
said well wa And furth Sworn ar	s complete er deponen nd subscrib	d on the 9	9th day of	Muru June	2014 HOM	NOTARY PUBLIC ID NO. 428403 MYCOMMISSION MYCOMMISSION EXTRES	plugging and filling
Affidavit rev	iewed by th	ne Office of Oil a	nd Gas:	my Kere	edy	Title:	ectoi

AFFIDAVIT OF PLUGGING AND FILLING WELL

oksozen : 1011	Motary Public	O to yeb	cribe before me this	
WORSHAMOO YM WILLIAM ON SAN SAN SAN SAN SAN SAN SAN SAN SAN SA	nøW	ay of June Achary		d well was compl And further depo
at the work of plugging and filling	ht bns #10	A lw brings evods	nument. 7" casing 36"	Description of mo
		-		
"Z\r 4 10 '2.4891				
*8\2 e 1o '238	AREA WAS RESELVED	Surface	1638	ass A Cement
16.8' of 13.3/8"	1638, of 2 3/8" PIPE REMOVED	OT.	FROM	TYPE
sworn according to law depose employed by the above named on said work was commenced on	19W bits allew asp bits lio poilit b		and Rod experienced in the	nes Moore say that they are operator, and pa
e employed by the above named said work was commenced on	hens allew as bns lio gnillit b that yes llew evods eff pnillit	ne gniggulg to Yrov	sac and Rod experienced in the wart articipated in the worth	nty of 1-16 4 C
e employed by the above named said work was commenced on	hens allew as bns lio gnillit b that yes llew evods eff pnillit	ney Osborne vork of plugging an	sac and Rod experienced in the wart articipated in the worth	nty of 1-16 4 C
Environmental Prote sworn according to law depose employed by the above named said work was commenced on said work was commenced on	ylub first gnied the filling oil and gas wells and were the filling of the filling shows the filling the filling synd sett yes leave well sent the filling the filling synds and son filling the filling synds and s	ney Osborne vork of plugging an	Se: and Rod experienced in the work experienced in the work	TTE OF WEST VI
e employed by the above named said work was commenced on	ylub first gnied the filling oil and gas wells and were the filling of the filling shows the filling the filling synd sett yes leave well sent the filling the filling synds and son filling the filling synds and s	AFI ney Osborne vork of plugging an	Se And Rodin And	THE OF WEST VITE OF OTHER MOOFE SAY That they are operator, and properator, and properator
Environmental Prote sworn according to law depose employed by the above named said work was commenced on said work was commenced on	TIVAGI: ylub tərif gniəd ylub sərif gniəd ylub and gləw əsg bns lio gnillit b	ney Osborne vork of plugging an	Damato 1-10-2014 Se: and Rod experienced in the work	ent John mit Issued Date THE OF WEST WI THE
Environmental Prote sworn according to law depose employed by the above named said work was commenced on said work was commenced on	TIVAGI: ylub tərif gniəd ylub sərif gniəd ylub and gləw əsg bns lio gnillit b	Or Owner ney Osborne vork of plugging an	Demate 1-10-2014 Relinity, KY se: and Rod experienced in the work	ent John Trinit Issued Date Date Instituted Date Instituted Date Instituted Date Instituted Institu
TUL 2.5.2014 VVV Department Environmental Prote sworn according to law depose e employed by the above named said work was commenced on said work was commenced on	TIVAQI= TIVAQI Deing first duly as wells and were the sind were the si	Coal Oper Or Owner API API Or Owner API API API API API API API API API AP	ennsylvania Avenue ston, WV 25302 1-10-2014 Sci. Sci. Sand Rod experienced in the work experienced in the work	charles Charles Charles and John This Issued Date Thy of Floyd asy that they are say that they are operator, and pa
Office of Oil and C VVV Department Environmental Prote sworn according to law depose e employed by the above named said work was commenced on said work was commenced on	TIVAQI= TIVAQI Deing first duly as wells and were the sind were the si	Coal Oper Or Owner API API Or Owner API API API API API API API API API AP	Demate 1-10-2014 Relinity, KY se: and Rod experienced in the work	Charles Charles Charles ent John THE OF WEST VI ATE OF WEST VI Att of Holy of
TUL 2.5.2014 VVV Department Environmental Prote sworn according to law depose e employed by the above named said work was commenced on said work was commenced on	TIVAQI= TIVAQI Deing first duly as wells and were the sind were the si	Coal Oper Or Owner API API Or Owner API API API API API API API API API AP	Production Compenneylvania Avenue ston, WV 25302 Demato	ent John charles coperator, and part coperator, and
Office of Oil and C VVV Department Environmental Prote sworn according to law depose e employed by the above named said work was commenced on said work was commenced on	Totor Tator Tator Tator Tator Totor Tivacia Tivacia Tilling oil and gas wells and wen dilling oil and gas wells and wen dilling the above well say that	Feet West of 51 Or Owner Or Owner Or Owner Or Owner Or Owner Or Owner AFI AND OR Osborne AND OR	GAS X Production Comp ennsylvania Avenue aton, WV 25302 Dematc 1-10-2014 ss: ss: experienced in the work experienced in the work	Type: OIL mpany EQT 1710 P Charles cnt John Tre OF WEST W mty of Floyd des Moore say that they are say that they are operator, and pa
HECEIVED Said work was commenced on said work was commenced on said work on said work was commenced o	o mim 69. 50 Min. 0 alor rator rator being first duly dilling oil and gas wells and were dilling oil and gas wells and were filling the above well say that filling the above well say that	Feet West of 51 Or Owner Or Owner Or Owner Or Owner Or Owner Or Owner AFI AND OR Osborne AND OR	e: 13,225 Lude: 5300 Production Compennsylvania Avenue aton, WV 25302 Bernato and Rod se: se: se: se: se: shift pool	Latitud Longitu Type: OIL Type: OIL Type: OIL Type Tyto P Charles The John The John The John The John The Moore Say that they are say that they are operator, and pare
Sec. Office of Oil and Cand Oil and Cand Oil and Cand Oil and Canding to law depose sworn according to law depose employed by the above named soil work was commenced on said work was	Deg. 22 Min. 30 Deg. 26 Min. 30 Ator Tator Deing first duly d filling oil and gas wells and were dilling oil and gas wells and were filling the above well say that	Feet West of 51 Coal Oper Or Owner Or Owner Or Owner Or Owner AFF	e: 5300 Lde: 5300 CAS X CAS X CONTRIBUTION Compains Avenue Sion, WV 25302 Compton, WV 25302 Compton Compains Avenue Sion, WV 25302 Compton Compains Avenue Sion, WV 25302 Compton Compton Compains Avenue Sion, WV 25302 Compton Compt	District Latitud Longitu Type: OIL Type: OI
Sec. Office of Oil and Cand Oil and Cand Oil and Cand Oil and Canding to law depose sworn according to law depose employed by the above named soil work was commenced on said work was	Deg. Min. 30 Deg. 69 Min. 0 ator Tator Peing first duly A filling oil and gas wells and were dilling oil and gas wells and were dilling oil and gas wells and were dilling the above well say that	Feet West of 51 Coal Oper Or Owner Or Owner Or Owner Or Owner AFF	e: 5300 Lde: 5300 CAS X CAS X CONTRIBUTION Compains Avenue Sion, WV 25302 Compton, WV 25302 Compton Compains Avenue Sion, WV 25302 Compton Compains Avenue Sion, WV 25302 Compton Compton Compains Avenue Sion, WV 25302 Compton Compt	District District Latitud Longitu Type: OIL Ty

49-023084

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. Coal Operator or Owner 1 BRIDGE STREET MONONGAH, WV 26554 Address CONSOLIDATION COAL CO.

Coal Operator or Owner 1 BRIDGE STREET MONONGAH, WV 26554

Address MAHALA LOOMAN (C/O ANNA TUCKER) Lease or Property Owner

RR 1 BOX 279, WALLACE, WV 26448 Address

CONSOLIDATION COAL CO. Name of Well Operator 1 BRIDGE STREET MONONGAH, WV 26554 Complete Address WALLACE,WV 7.5' Well Location MANNINGTON

District MARION County 2311 Well No.

LOOMAN, MAHALA (C/O ANNA Farm

RECEIVED Office of Oil and Gas

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

AUG 1 3 2014

STATE OF WEST VIRGINIA, County of MONONGALIA ss:

WV Department of

MIKE MITCHELL and KEVIN WRIGHT being first duly sworn according to law depose and say that they Environmental Protection experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of June, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In		
Formation						
	om Surface to 182'. Tagged top of 10 %" ced hole to 9 7/8". Cleaned 9 7/8" hole from	16" Conductor	0' 10' 894' Unkno	10'		
182' to 574'. Tagged	top of 8 5/8" casing at 574'. Reduced hole 7/8" hole from 574' to 1675'. Reduced hole	8 5/8" Casing	894	Unknown		
casing from 574' to 1- casing in the hole from 8 5/8' casing at the for 7/8' hole through the Cemented hole from From 1675' to 1473' v 1473' to 1166' with 17 From 1166' back to th Cement. Cement did	om plug at 1675'. Removed 894' of 8 5/8" 186'. Left an unknown amount of 8 5/8" In 1486' to an unknown depth. Cut remaining Illowing depths: 1570' and 1670'. Cleaned 9 Pittsburgh Coal seam from 1266' to 1273'. 1675' back to surface as follows: Vith 41 sacks of Expandable Cement. From '5 sacks of Thixotropic Cement with dye. The Surface with 467 sacks of Expandable circulate at the surface. Left 10' of 16" The hole from the surface to 20'.	10.¾*	0,	74'		
Coal Seams		Description of Monume	ent			
Pittsburgh	(1266' - 1273')	77" of 7" casing w/ company name, well number,				
movement Que	,	permit number and date				
		casing. Well marker will t	e attached t	o cement		

... and that the work of plugging and filling said well was completed on the 30th day of June, 2014

And further deponents saith not.

Sworn to and subscribed before me this 29 day of July 2014

My commission expires: 11/4/23



Permit No. 47-049-02308-P

Well No. 2311

FORM WR-38 (Affidavit of Plugging)

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner

1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner

1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL COMPANY
Lease or Property Owner

1 BRIDGE ST. MONONGAH, WV 26554

Address

CONSOLIDATION COAL CO.

Name of Well Operator

1 BRIDGE ST. MONONGAH, WV 26554

Complete Address
GLOVER GAP 7.5

Well Location
MANNINGTON
District
MARION
County
5061
Well No.
CONSOLIDATION COAL COMPA

Farm

STATE INSPECTOR SUPERVISING PLUGGING BUT

AFFIDAVIT

STATE OF WEST VIRGINIA, County of MONONGALIA ss:

ROGER MOORE and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 23rd day of June, 2014 and that the well was plugged in the following manner:

	Filling Material	Casing	Casing Pulled	Casing Left In	
Formation		Size & Kind			
Cleaned 9 7/8" hole fr 217'. Reduced hole t Cleaned 7 7/8" hole ti 1027.5'. Reduced ho Cemented hole from From 1398' to 1249' v 904' with 160 sacks o Surface with 390 sack	om Surface to 176'. Reduced hole to 9 7/8". om 176' to 813'. Removed junk cable from hole at or 7/8". Cleaned 7 7/8" hole from 813' to 1348'. strough the Pittsburgh Coal seam from 1021' to le to 6 ¼". Cleaned 6 ¼" hole from 1348' to 1398'. 1398' back to the surface as follows: with 60 sacks of Expandable Cement. From 1249' to 17 Thixotropic Cement with dye. From 904' to its of Expandable Cement. Gement did circulate at of 16" conductor casing in the hole from Surface to	16" Conductor	W	ice of C AUG 1 V Depa	EIVED il and Gas 3 2014 rtment of al Protection
0-15		h 200 - 200	-	L	
Coal Seams PITTSBURGH	1021' to 1027.5'	Description of Monumer		on have	
	1021 10 1027.5	77" of 7" casing w/compa	The second secon		
(Name)		permit number and date of			
(Name)		casing. Well marker will be			
(Name)		cement plug at ground lev	rel.		

... And that the work of plugging and filling said well was completed on the 7th day of July, 2014.

And further deponents saith not.

Roger Moore

K. W. S. Wight

Kevin S. Wright

Sworn to and subscribed before me this 'Th day of Hag of 2014

Curol A Muyl
Notary Public

My commission expires: 9.12-2017

Permit No. <u>47-49-02310-P</u> Well No. <u>5061</u>



AFFIDAVIT OF PLUGGING AND FILLING WELL

LOCATION: Elevation; 685 ft. District: Franklin Latitude: 0 Feet South of 39 Deg. 44 Min. 45 Sec. Longitude: 0 Feet West of 80 Deg. 50 Min. 48 Sec. Well Type: OIL GAS Brine X Company Eagle Natrium, LLC/Axiall Corp. P.O. Box 191 New Martinsville, WV 26155 Coal Operator N/A Or Owner New Martinsville, WV 26155 Agent J. Thomas Horan or Owner Permit Issued Date 1104/13 AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marchail so work as commenced on the work of plugging and filling dia allow and were employed by the above named well operator, and work employed by the above named well and were employed by the above named work and work were employed by the above named work of plugging and filli	Farm name:_E	agle Na	atrium, LLC		Operator We	on Ile	lo. 5 Brine	e Well	
District: Franklin County: Marshall Latitude: 0 Feet South of 39 Deg. 44 Min. 45 Sec. Longitude: 0 Feet West of 80 Deg. 50 Min. 48 Sec. Well Type: OILGAS Brine X Company Eagle Natrium, LLC/Axiall Corp. Coal Operator N/A Company Eagle Natrium, LLC/Axiall Corp. Coal Operator N/A P.O. Box 191 or Owner New Martinsvillo, WV 26155 Coal Operator N/A Agent J. Thomas Horan or Owner Permit Issued Date 11/04/13 AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall ss: AFFIDAVIT TYPE FROM TO PIPE REMOVED LEFT 115-172** TXL, 3-50 cineto 0 6190 ft. 6190 ft									
Latitude: 0 Feet South of 39 Deg. 44 Min. 45 Sec. Longitude: 0 Feet West of 80 Deg. 50 Min. 48 Sec. Well Type: OIL GAS Brine X Company Eagle Natrium, LLC/Axiall Corp. Coal Operator N/A P.O. Box 191 Or Owner New Martinsville, WV 26155 Coal Operator N/A Agent J. Thomas Horan or Owner Permit Issued Date 11/04/13 STATE OF WEST VIRGINIA, County of Marshall Ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall Ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall Ss: AFFIDAVIT Type FROM TO PIPE REMOVED LEFT States of 6190 ft. 6190 ft. 33 ft. 6190 ft. 35						Mars	shall		
Longitude: 0 Feet West of 80 Deg. 50 Min. 48 Sec. Well Type: OILGAS_Brine X Company				Feet South of		44	Min 45	Sec	
Well Type: OILGAS Brine X Company									
Eagle Natrium, LLC/Axiall Corp. Coal Operator New Martinsville, WV 26155 Coal Operator New Martinsville, WV 26155 Coal Operator N/A Agent J. Thomas Horan Permit Issued Date 11/04/13 AFFIDAVIT STATE OF WEST VIRGINIA, Courly of Marshall ss; and Holling if it duly sworn according to law depose and say that they are experienced in the work of pluggling and filling oil and gas wells and were employed by the above named well operator, and participated in the work of pluggling and filling the above well say that said work was commenced on the 22nd day of May 2014, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT 115-172: 178-155 Cesting 0 6070 ft. 6080 ft. 6190 ft. 6190 ft. 33 ft. 33 ft. 6190 ft. 33 ft. 6190 ft. 33 ft. 6190 ft. 33 ft. 6190 ft.	,	Longitude	i	_ Feet West or	Deg		_iviin	Sec.	
P.O. Box 191 New Martinsville, WV 26155 Agent J. Thomas Horan or Owner Permit Issued Date 11/04/13 AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall sss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall sss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall sss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall sss: AFFIDAVIT ARFIDAVIT ARFIDAVIT AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall sss: AFFIDAVIT AFFIDAVIT AFFIDAVIT AFFIDAVIT AFFIDAVIT AFFIDAVIT AFFIDAVIT TYPE and the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22nd day of May .2014, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT 115-172 * 178 * JSS Ceiring 6 1900 ft. 61900 ft. 6190	Well Type: O	IL	_GAS Brine X						
Agent J. Thomas Horan or Owner Permit Issued Date 11/04/13 AFFIDAVIT STATE OF WEST VIRGINIA, County of Mushall ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Mushall ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Mushall ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Mushall ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Mushall ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Mushall ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Mushall ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Mushall ss: A STATE OF WEST VIRGINIA, County of Mushall ship	Company	Eagle Nat	trium, LLC/Axial	Corp. Coal Op	perator N/A				
Agent J. Thomas Horan or Owner Permit Issued Date 11/04/13 AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall ss: And Say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22nd day of May 2014, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT 115-1/2 x 17 tb. 45 Casing 6 1900 ft. 6190 ft. 6190 ft. 33 ft. 3) Perforate 8-5/8° Casing 6 670 ft. 6690 ft. 1000 ft		P.O. Box 1	91	or Own	er				
Agent J. Thomas Horan or Owner Permit Issued Date 11/04/13 AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall ss: And Affidate work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22nd day of May 2014, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT 1)5-1/2 x 17 & 43 Castro 6070 ft. 6190 ft. 619	ī	New Martin	nsville, WV 26155		-				
AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall SS: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall SS: Application of Marshall Application of Marshall SS: Application of Marshall And further deponents saith not. Application of Marshall SS: Application of Marshall Applica	1.5			Coal O	perator N/A				
STATE OF WEST VIRGINIA, County of Marshall ss: AFFIDAVIT STATE OF WEST VIRGINIA, County of Marshall ss: APPLICATION And Participated in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22nd day of May 2014, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT 1)5-1/2-1/16-J-SS casing 0 6190 ft. 6190 ft. 6190 ft. 6190 ft. 700 ft	Agent	J. Thom	as Horan	or Own	er				
STATE OF WEST VIRGINIA, County of Marshall ss: A County of Marshall s		d Date	11/04/13						
STATE OF WEST VIRGINIA, County of Marshall ss: A County of Marshall s					mmin 4 5 1177				
County of Marshall SS: County of Marshall	STATE OF WE	ST VIDGI	ALM	А	FFIDAVII				
and Standard and Standard Stan			3.000000	0					
and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22nd day of May	150	- 260 9	- 55.	Han.	~ 1	,			
and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22nd day of May	2 M	D. Jal	and X	+ Clacken	Cla	1 being	first duly s	worn according to	law depose
the 22nd day of May , 2014, and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED (LEFT 33 ft. 13-17-17-17-18-15-17-17-18-15-17-17-18-15-17-17-18-15-17-17-18-15-17-17-18-15-17-17-18-15-17-18-15-18-18-18-18-18-18-18-18-18-18-18-18-18-	and say that the	y are exp	erienced in the	vork of plugging			email:	970	
4.) Cement 8-5/8" Casing 6190 ft. 5700 ft. 1500 ft. 1500 ft. Continued below: 5.) Gel 8-5/8" Casing 5700 ft. 1500 ft. 1500 ft. 1410 ft. 8.) Gel 8-5/8" Casing from 1200 ft. to 300 ft. 1200 ft.								aid work was comm	nenced on
4.) Cement 8-5/8° Casing 6190 ft. 5700 ft. 5700 ft. 1500 ft. 1500 ft. 1500 ft. Continued below: 6.) Ferforate 8-5/8° Casing 5700 ft. 1410 ft. 8.) Get 8-5/8° Casing from 1200 ft. to 300 ft. 1200 ft. 12	the 22nd	day of	May	, 2014, and the	well was plug	ged and	filled in the fo	ollowing manner:	A
4) Cement 8-5/8* Casing 6190 ft. 5700 ft. 5700 ft. 1500 ft. 1410 ft. 8.) Get 8-5/8* Casing from 1200 ft. to 300 ft. 1410 ft. 1500 ft. 1200	TVDE	1 -	BON I	TO 1	חוחב ח	EMOVE	n	LEET	— ::1 60
4.) Cement 8-5/8° Casing 6190 ft. 5700 ft. 5700 ft. 1500 ft. 1500 ft. 1500 ft. Continued below: 5.) Gel 8-5/8° Casing 5700 ft. 1500 ft. 1500 ft. 1410 ft. 8.) Gel 8-5/8° Casing from 1200 ft. to 300 ft. 7.) Cement 8-5/8° Casing 1390 ft. 1410 ft. 9.) Cement 8-5/8° Casing from 300 ft. to Surface Office Environmental Solid Well was completed on the 1st day of July , 20 14. And further deponents saith not. Sworn and subscribe before me this 11 day of July , 20 14 My commission expires: A pr 11 10, 2016 My commission expires: A pr 11 10, 2016 My commission expires: A pr 11 10, 2016								22.6	~@\\
4) Cement 8-5/8* Casing 6190 ft. 5700 ft. 5700 ft. 1500 ft. 1500 ft. Continued below: 5.) Gel 8-5/8* Casing 5700 ft. 1500 ft. 1500 ft. 1410 ft. 8.) Gel 8-5/8* Casing from 1200 ft. to 300 ft. 1200 ft.					.0.	190 II.	2017	3310	
4) Cement 8-5/8* Casing 6190 ft. 5700 ft. 5700 ft. 1500 ft. 1500 ft. 1500 ft. Continued below: 6) Perforate 8-5/8* Casing 5700 ft. 1410 ft. 8.) Get 8-5/8* Casing from 1200 ft. to 300 ft. 1200	PERMITS OF STATE OF STREET		20.20.00	31-101111				- Fr	5014
Description of monument: Metal plaque with well and API number and completion date said well was completed on the state day of July	THE PASSING PROPERTY.		A10000000	5-7 KING 10-12-					
Description of monument: Metal plaque with well and API number and completion date said well was completed on the standard day of July	Sim Machine Appenditures on a				Contin	ued below:			100 and Gar
Description of monument: Metal plaque with well and API number and completion date said well was completed on the state day of July		-		matrix 200		ALL SANGE AND ADDRESS OF THE PARTY OF THE PA	t. to 300 ft.		of Oil amenta
Description of monument: Metal plaque with well and API number and completion date said well was completed on the standard day of July	2000	-	111 NOT 1111	- Common	9.) Cement 8-5/8* Car	ing from 300 f	L to Surface		Office Euniton
Sworn and subscribe before me this 11 day of July , 2014 My commission expires: April 10, 2016 Notary Public									, nept. o
Sworn and subscribe before me this 11 day of July . 2014 My commission expires: April 10, 2016 Notary Public	Description o	f monume	nt: Metal plaque v	vith well and API no			e and that	the work of plugging	gahð filling
Sworn and subscribe before me this 11 day of July , 2014 My commission expires: April 10, 2016 Notary Public	said well was co	ompleted o	on the <u>lst</u> da	y of July	, 20_14	e e	717		***************************************
Sworn and subscribe before me this 11 day of July . 2014 My commission expires: April 10, 2016 Notary Public	2.2.3	5	/II. 15				3	OF NO	FICIAL SEAL
Sworn and subscribe before me this 11 day of July . 2014 My commission expires: April 10, 2016 Kau Ay Notary Public	And further o	eponents	saith not.				. 1/	STATE	FWEST VIRGINIA
Sworn and subscribe before me this 11 day of July , 2014 My commission expires: April 10, 2016 Notary Public							11		
Sworn and subscribe before me this 11 day of July . 2014 My commission expires: April 10, 2016 Kau Ay Notary Public			-				- }'	Paden City	West Virginia 26159
My commission expires: April 10, 2016 Kau Av Notary Public	Sworn and s	ubscribe b	efore me this	II day of J	uly	, 20 14	_ 3~	iny continues	CIT Explies Apr 10, 2010
Notary Public					1411	_			
Notary Public	My commission	expires:_	April 10, 2	<u>0</u> 16	Kan	-/X	Y		
	and the second s				2	Notary P	ublic		
Affidavit reviewed by the Office of Oil and Gas: Jacob Willow Title: 7/18/2014		50 56 6 5 5 5 6 6 5 7 7	A#	and the	N. 17	ul.	de Tor	7/18/2	014

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.

Coal Operator or Owner

6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Address

CONSOLIDATION COAL CO.

Coal Operator or Owner

6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Address

JACK AND SHARON LUCEY

Lease or Property Owner 838 GLEN EASTON ROAD, GLEN EASTON, WV 26039

Address

MCELROY COAL COMPANY

Name of Well Operator 6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Complete Address

GLEN EASTON 7.5'

Well Location

CAMERON District

MARSHALL

County

M-1751 Well No.

LUCEY, JACK & SHARON

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA, County of MONONGALIA ss:

BRETT HOWELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 18th day of June, 2014 and that the well was plugged in the following manner:

rd Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In	
				1)
th Coal seam from 970' to 976'. Tagged top of Reduced hole to 9 7/8". Cleaned 9 7/8" hole Reduced hole to 6 1/8". Cleaned 9 7/8" hole from ged solid plug at 1508'. Removed 59' of 10 1/8" prof. Section milled 14' of 10 1/8" casing from 970'. Section milled 14' of 10 1/8" casing from 970'. Cut ing at the following depths: 1086', 1034', and 1508' to the surface as follows: with 143 sacks of Expandable Cement. From 15 sacks of Thixotropic Cement with Green Dye face with 467 sacks of Expandable Cement.	16* Casing	73	nec Office of	CEIVED Oil and Gas in 13 and Department of mental Protection
	Description of Monumer	it		
(970' - 976')	77" of 7" casing w/ compa	ny name, well	number,	
10000	permit number and date of	1		
	casing. Well marker will be	1		
		4		
	from the surface to 984'. Cleaned 12 ¼' hole on Coal seam from 970' to 976'. Tagged top of . Reduced hole to 9 7/8". Cleaned 9 7/8' hole Reduced hole to 6 ¼". Cleaned 6 ¼" hole from ged solid plug at 1508'. Removed 59' of 10 ¾' 370'. Section milled 14' of 10 ¾" casing from 970' 10 ¾" casing in the hole from 984' to 1120'. Cut sing at the following depths: 1086', 1034', and m 1508' to the surface as follows: with 143 sacks of Expandable Cement. From 35 sacks of Thixotropic Cement with Green Dye, face with 467 sacks of Expandable Cement. e at the surface. Left 28' of 16" conductor casing surface to 28'.	from the surface to 984'. Cleaned 12 ¼' hole from the surface to 970' to 976'. Tagged top of Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 6 ¼''. Cleaned 9 7/8'' hole Reduced hole to 6 ¼''. Cleaned 9 7/8'' hole Reduced hole to 6 ¼''. Cleaned 9 7/8'' hole Reduced hole to 6 ¼''. Cleaned 9 7/8'' hole Reduced hole to 6 ¼''. Cleaned 9 7/8'' hole Reduced hole to 6 ¼''. Cleaned 9 7/8'' hole Reduced hole to 6 ¼''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Leaned 9 7/8'' hole Reduced hole to 9 7/8''. Leaned 9 7/8'' hole Reduced hole to 9 7/8''. Cleaned 9 7/8'' hole Reduced hole to 9 7/8''. Leaned 9 7/8'' hole Reduced hole to 9 7/8''. Leaned 9 7/8'' hole Reduced hole to 9 7/8''. Leaned 9 7/8'' hole Reduced hole to 9 7/8''. Leaned 9 7/8'' hole Reduced hole to 9 7/8''. Leaned 9 7/8'' hole Reduced hole to 9 7/8''. Leaned 9 7/8'' hole Reduced hole to 9 7/8''. Leaned 9 7/8'' hole Reduced hole to 9 7/8''. Leaned 9 7/8'' hole Reduced hole to 9 7/8'' hole Reduc	Filling Material Casing/Tubing Size Pulled from the surface to 984'. Cleaned 12 ¼' hole the Coal seam from 970' to 976'. Tagged top of Reduced hole to 9 7/8". Cleaned 9 7/8" hole Reduced hole to 6 ¼'. Cleaned 6 ¼' hole from ged solid plug at 1508'. Removed 59' of 10 ¾' 870'. Section milled 14' of 10 ¾' casing from 970' 10 ¾' casing in the hole from 984' to 1120'. Cut sing at the following depths: 1086', 1034', and m 1508' to the surface as follows: with 143 sacks of Expandable Cement. From 85 sacks of Thixotropic Cement with Green Dye. face with 467 sacks of Expandable Cement. e at the surface. Left 28' of 16" conductor casing surface to 28'. Description of Monument (970' - 976') Description of Monument 77" of 7" casing w/ company name, well permit number and date cemented state	Filling Material Casing/Tubing Size Pulled Left In from the surface to 984". Cleaned 12 ½" hole gh Coal seam from 970" to 976". Tagged top of Reduced hole to 9 7/8". Cleaned 9 7/8" hole Reduced hole to 6 ½". Cleaned 6 ½" hole from ged solid plug at 1508". Removed 59" of 10 ½" 270". Section milled 14" of 10 ½" casing from 970" 10 ½" casing in the hole from 984" to 1120". Cut sing at the following depths: 1086", 1034", and m 1508" to the surface as follows; with 143 sacks of Expandable Cement. From 35 sacks of Thixotropic Cement with Green Dye. face with 467 sacks of Expandable Cement. e at the surface. Left 28" of 16" conductor casing surface to 28". Description of Monument

... and that the work of plugging and filling said well was completed on the

And further deponents saith not.

Brett Howell

Kevin S. Wright

Sworn to and subscribed before me this 4th day of August 2014

My commission expires: 9.12.2017

Permit No. 47-51-01756-P

Well No. M-4754 NOTARY PUBLIC OFFICIAL SEAL STATE OF WEST VIRGINIA CAROLEA MAYLE 495 BUCKEYE RD.

COME WV 26541 MY COMMISSION EXPIRES SEPT. 12, 2017

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	THE FORESTLAN	ID GROUP, LL	Operator Well No.:	OC BECK	NER
LOCATION:	Elevation: 694		_ Quadrangle: PE	TROLEUM	
	District: GRANT		County: RI	TCHIE	
	Latitude:			Min. 90	Sec.
	Longitude:				Sec.
	Longitudes				
Well Type:	OIL GAS X				
Company	PATCHWORK OIL &	GAS, LLC Coal (Operator		
	8165 ELIZABETH PIKE	The second second	i)		RECEIVED
	ELIZABETH, WV 26143		· · · · · · · · · · · · · · · · · · ·	(Office of Oil and Gas
	1	Coal	Operator		
Agent	ROGER L. WHIT	ED or Ow	ner		AUG 0 2014
Permit Issu	ed Date 06/27/20	14			
					WV Department of
			AFFIDAVIT	Fr	nvironmental Protection
	/EST VIRGINIA,			L-1	William
County of WO	OD SS:				
PATCHWORK	OIL & GAS, LLC and	ROGER L. WHITED	be	eina first duly s	worn according to law depose
	, and participated in the day of JUNE				aid work was commenced on ollowing manner:
TYPE	FROM	ТО	PIPE REMOV	VED	LEFT
8 5/8	Surface	1383	none		1383
4 1/2	Surface	421	421		422-4092
SURFACE PLU	10.000	SURFACE			
CASING RIP	346	474			
Freshwater/coal s	N STEAT	of cemented pipe			
PERFORATION PLU		3429			
BOTTOM PLU	3 3873	4083			
Description	of monument: API, nam	e, date plugged and o	company	and that	the work of plugging and filling
	completed on the 10	_ day of _July	, 20 14 .		Secret Carl Cours - And Large Market Secret Secret Secret Course
And further	deponents saith not.	Roger L. Whit	ed		RECEIVED Gas
		Rosen	Z n A	ted	OFFICIAL SEAL NOTARY PUBLIC
Sworn and	subscribe before me th	is 14 day of Ju	ly , 20	14	JESSICA M. LOTT 60 Distrand Dr. Dustavia, Wybet 42 My Commission Exempla John S. 201
	on expires: August 7,		amp	'At	WV Departure Protection
, commodi			Notan	y Public	Environmente
		~	1 (). 1		~ 1/~
Affidavit revie	wed by the Office of Oil	and Gas:	pur We	Title	: out 1 gas my well

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	England, Ronald	l & Mazie	Opera	tor Well No.:	United National Bar	nk #1 WV0364	
LOCATION:	Elevation: 1,441		Quad	drangle: Ad	rian 7.5'		
	District: Meade		Cour	nty: Up	shur		
-,4	Latitude: 10,735	Feet Sou	th of 38	Deg. 55	Min. 00	Sec.	
	Longitude: 3,935	Feet We	st of <u>80</u>	_Deg. 15	Min. 00	Sec.	
Well Type:	OIL GAS <u>×</u>						
Company	Mountain V Oil &	Gas, Inc. Co	al Operator	Ronald & M	azie England		
	PO Box 470	or	Owner	1349 Alton I	Road	Pace	ived
	Bridgeport, WV 26330		v as		ek, WV 26218	Here	1400
Agent	Mike Shaver		oal Operator Owner			JUL 3	1 201A
Permit Issu	Control of the Contro		Owner			JUL 3	7 7014
		7235210		8====			
County of Har	VEST VIRGINIA,		AFFIDA	VIT		Office of C WV Dept. of Envir	onmental Protecti
Mike.	Shaver a	nd Greg Hicks		be	ing first duly s	worn according to law de	pose
well operator		e work of pluggi	ng and fillin d the well wa	g the above v	vell say that sa nd filled in the fo	employed by the above noted by t	
9 5/8"	Surface	30,		II L INLINO	VLD	30'	
	of monument: 3ft. tall of completed on the 17th	easing pipe cepten	est to top with	plaquer on top		the work of plugging and i	5
said well was			Ichel			2	5
And furthe	r deponents saith not.	his 28th day of	Ichel July			OFFICIAL STATE OF WES NOTARY P James D. A Buckharm My Commission Expire	5
And furthe Sworn and My commission	r deponents saith not.	his 28th day o	(Ich)	20 16 / 		OFFICIAL STATE OF WES NOTARY F James D. A Buckhann My Commission Expire	5

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Jason &	Cynthia Wa	arrenOperat	or Well No.: J U Jolli	ffe 1	
LOCATION:	Elevation	_: 738'	Quad	rangle: Pine Grove	7.5'	
	District:		Coun	Motral		
		1000	Feet South of 39	Deg. 35 Min. 0	Sec.	
			Feet West of 80			
Well Type: (_GAS	_			
Company	Fast Re	sources Inc	Coal Operator	CONSOL Energy		
Company	5260 Dupo		or Owner	Rd 4, Box 425		
		rg, WV 26101		Moundsville, WV 26041	DEOEWED	
			Coal Operator		RECEIVED	
Agent	Philip O		or Owner		office of Oil and Gas	
Permit Issu	ed Date	11/08/2012			JUL 2 4 2014	
			AFFIDA	ЛT	36E # # 2014	
STATE OF W	EST VIRG	INIA,	201 (1922)	***	WV Department of	
County of Woo	od	_ ss:		Εn	vironmental Protection	
Ken Dotson		and T	immy Morris	heing firet dul	y sworn according to law depose	
the	day of	June	, 20 <u>14</u> , and the well wa	s plugged and filled in t	t said work was commenced on he following manner:	
TYPE	F	ROM		PE REMOVED	LEFT	
Neat cement Neat cement	-	2570 1750	2350 1410	4 1/2*- 504* 6 5/8* - 200*	1500'	
Neat coment		555	0	5 1/2"- 67'	1362'	
6% gel between cament	pluge					
said well was And further	completed deponents subscribe i	on the _7 of saith not.	Jans A P Junta 1 23 day of July	2014. OM 2014 Notary Public	OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIR TINA L. PETHTEL HG Energy, LLC 5260 Dupont Road Parkersburg, West Virgunia My Commission Expres Nov	26101 12, 2018
Affidavit revie	wed by the	Office of Oil and	d Gas:		Title: 0:1 + Ges Inspector	